

PULSE JET VALVE: OMC



OMC-Z

Pulse Jet Valves are right-angle valves, outlet at 90° to inlet with threaded connections which are particularly designed for dust collector service applications for reverse pulse jet filter cleaning.



OMC-ZM

Pulse Jet Valves are right-angle valves, Outlet at 90° to inlet with dresser nut ports which are particularly designed for dust collector service applications for reverse pulse jet filter cleaning.



OMC-T

Pulse Jet Valves are the straight in valves, with the 180° angle between the inlet and outlet, Which are suitable for the installed connection between the inlet and gas dome, outlet and the

blow tube to provide good air flow and dust clean pulses satisfying the requirements.



OMC-Y

Pulse Jet Valves are embedded valves (also called submerged ones) which are directly installed on the manifold box. They have better flow characteristics and operate with reduced pressure loss, therefore, they are suitable for conditions where the pressure of the gas source is relatively low.

PULSE JET VALVE: GOYEN



High performance diaphragm valve with dresser nut ports. Available with integral pilot or as remotely piloted valve. Outlet at 90° to inlet



High performance diaphragm valve with threaded ports. Available with integral pilot or as remotely piloted valve. Outlet at 90° to inlet



Valve is single stage, diaphragm type. Available with flanged inlet ports and side seated inlet port. Outlet may



be vertical or horizontal. 5/8 inch inlet is available. Designed to be piped directly to the line, 3" max. pressure



1/2" to 3/4" integral port in the body



single stage, integral 3/4" to 1" threaded body



single stage, 3/4" bore, 2" body



double stage, 1" bore, 2" body



Aramic (Thailand) Co., Ltd.

(662) 321 2711-2

Contact Us